# Local Government (Water Pollution) Acts, 1977 & 1990

# APPLICATION FOR A LICENCE TO DISCHARGE TRADE AND/ OR DOMESTIC WASTE WATER TO SURFACE WATER

Your completed application accompanied by all relevant information and payment is to be sent to the following address:

Address:	Senior Executive Officer
	Water & Environmental Services Section
	County Buildings
	Wicklow Town

# **Glossary of Terms**

The following provides a partial glossary of terms used in this document. The definitions therein are not to be taken as comprehensive but solely as an aid to the non-technical reader.

#### Abstraction

In relation to water contained in any source of water, means the doing of anything whereby any of that water is removed from that source of water, whether temporarily or permanently, including anything whereby the water is so removed for the purpose of being transferred to another source of water. (*Source: Water Services Act, 2007*)

#### **Authorised person**

A person appointed in writing by the Minister or by a Water Services Authority / Local Authority for the purposes of enforcing the legislation under which they have been appointed.

#### **Domestic Waste Water**

Waste water of a composition and concentration (biological and chemical) normally discharged by a household, and which originates predominantly from the human metabolism or from day to day domestic type human activities, including washing and sanitation, but does not include fats, oils, grease or food particles discharged from a premises in the course of, or in preparation for, providing a related service or carrying on a related trade. *(Source: Water Services Act, 2007)* 

#### Groundwater

All water below the land surface that is not in a pipe or similarly contained. (*Source: Water Services Act, 2007*)

#### **Licence Application**

An application to a Local Authority or a Water Services Authority for a licence to discharge trade or sewage effluent to surface waters or to sewer.

#### **Licensing Authority**

Includes the Water Services Authority (as defined in the Water Services Act, 2007) and the Local Authority (as defined in the Local Government Act, 2001) which includes County Councils and City Councils.

#### **Polluting Matter**

Any substance liable to cause pollution, and, for the purpose of this definition, 'substance' includes bacteria and other pathogens, where relevant, and the expression "polluting matter" shall be construed accordingly. (Source European Communities Environmental Objectives (Surface Waters) Regulations, 2009)

#### Pollution

The discharge by man, directly or indirectly, of substances or energy into the aquatic environment, the results of which are such as to cause hazards to human health, harm to living resources and to aquatic ecosystems, damage to amenities or interference with other legitimate uses of water.

#### **Priority Substances**

Those substances or groups of substances identified by the Commission in accordance with Article 16(2) of the Water Framework Directive and listed in Tables 11 and 12 of Schedule 6 of the European Communities Environmental Objectives (Surface Waters) Regulations, 2009 that have been prioritised for action by the setting of environmental quality standards at Community level.

#### **Priority Hazardous Substances**

Those substances or groups of substances forming a subset of priority substances identified by the Commission in accordance with Article 16(3) of the Water Framework Directive and for which measures have to be taken to cease or phase-out discharges, losses and emissions and which are listed in Table 12 of Schedule 6 of the European Communities Environmental Objectives (Surface Waters) Regulations, 2009.

#### Sewer

Drainage pipes and sewers of every description, including storm water sewers, owned by, vested in or controlled by a water services authority, an authorised provider of water services or a person providing water services jointly with or on behalf of a water services authority or an authorised provider of water services, but does not include a drain or service connection (*Source: Water Services Act, 2007*)

#### **Sewage Effluent**

Effluent from any works, apparatus, plant or drainage pipe used for the disposal to waters of sewage, whether treated or untreated (*Source: Local Government (Water Pollution*) Act 1977)

#### **Surface Water**

A discrete and significant element of surface water such as a lake, reservoir, stream, river or canal, part of a stream, river or canal, a transitional water or a stretch of coastal water. (Source European Communities Environmental Objectives (Surface Waters) Regulations, 2009)

#### **Trade Effluent**

Effluent from any works, apparatus, plant or drainage pipe used for the disposal to a waste water works of any liquid (whether treated or untreated), either with or without particles of matter in suspension therein, which is discharged from premises used for carrying on any trade or industry (including mining), but does not include domestic waste water or storm water (*Source: Water Services Act, 2007*).

#### Water Services Authority

Includes a County Council or a City Council as defined in the Local Government Act, 2001, (sanitary authority or local authority).

#### PART I – DECLARATIONS & SIGNATURES

#### PART I - Section 1

#### A. Guidance on Applying for a Discharge Licence

Any person who intends to discharge domestic waste water or trade effluent to surface waters must attain permission to do so from either the Local Authority or the Environmental Protection Agency (EPA) before the discharge is commenced.

Where the discharge is licensable by the Local Authority, this Application Form is to be completed and submitted to the Local Authority in order to provide the information necessary to determine whether it is acceptable to grant permission to discharge.

The Applicant is requested to read the "Guidance on Applying for a Discharge Licence" before completing this licence application form.

### **B.** Completing the Application Form

Guidance on what information is to be included in each Part of the Application Form is provided in the "*Guidance on Applying for a Discharge Licence*".

The Applicant is asked to contact the Licensing Authority in the event that:

- they are unsure as to whether the discharge is licensable by the Local Authority or the EPA
- they are having difficulty in providing all the information required in the application form
- they are unsure of what information they are to provide in the form
- they are unsure of where to source the information required in the form
- o they require any information or guidance on filling out the form

#### The Licensing Authority WILL NOT be able to process an incomplete application.

#### Who Should Fill in This Form?

This form is comprised of four separate parts as follows:

- **Part I Declaration & Signatures** This part is to be completed by <u>all applicants</u> for a licence to discharge to waters
- **Part II General Details** This part is to be completed by <u>all applicants</u> for a licence to discharge to waters.
- **Part III Effluent Details** This part is to be completed by <u>all applicants</u> for a licence to discharge to waters
- **Part IV Discharges to Surface Water** This part is to be completed by <u>all applicants</u> who propose to discharge trade effluent or domestic waste water (or both) to surface water. For clarification on what constitutes a trade effluent or a domestic waste water refer to the "*Guidance on Applying for a*"

#### PART I – DECLARATIONS & SIGNATURES

#### **B.** Completing the Application Form

Discharge Licence". Clarification on what is defined as a surface water is also provided.

Where multiple discharges are proposed, the applicant for a discharge licence must first contact the Licensing Authority for advice on whether one application form will suffice or whether multiple forms need to be submitted.

#### **Additional Sheets**

Where any part of the Application Form does not afford sufficient space to provide the required information then the Applicant should attach additional sheets to the form containing such information.

The additional sheets should cross-reference between the Application Form and the sheets. Mark each sheet with the name of the Applicant and the name of the premises from which the discharge is generated and indicate the section and part of the Application Form to which the additional sheets relate. An example of an Additional Sheet cross reference is provided in *"Guidance on Applying for a Discharge Licence"*.

#### **Request for Further Information**

The Licensing Authority is entitled under Section 7(3) of the *Local Government (Water Pollution) Regulations, 1978* to request the Applicant to submit additional information that the Licensing Authority deems to be necessary for the consideration of an application for a discharge licence.

Where this information is not provided by the Applicant within a three month period of receiving such a request then the Licensing Authority may carry out the necessary investigations to acquire the information, the cost of which is to be borne by the Applicant. Alternatively the Licensing Authority may proceed to make a determination on the application in the absence of such information.

# PART I – DECLARATIONS & SIGNATURES

C. Signatures of the Applicant & Agent
Identify the class of discharge to which this application pertains.
I hereby make an application for a licence to discharge* effluent to <u>Waters / Sewer</u> (delete as appropriate) under the Local Government (Water Pollution) Act 1977 in respect of the particulars included in this application on behalf of (insert name of the Applicant).
Where this application is made by an Agent on behalf of an Applicant, the signature of the Applicant must be provided below confirming the authorisation of the Agent to apply for a licence on their behalf:
I hereby authorise (name of Agent) to apply for a discharge licence on behalf of (name of Applicant).
Signed: Date: Date
I hereby declare that I am fully aware of my responsibilities to implement the conditions of any licence granted on the basis of this application and acknowledge that I may be subject to criminal liability whereby the terms of the licence are not complied with.
(provide signature of Applicant)
Refer to the "Guidance on Applying for a Discharge Licence" for definitions of the Applicant and the Agent.

#### PART I - Section 2

#### A. Disclosure of Information

The Freedom of Information Act, 1997 (as amended) states that every person has a right to access to any record held by a public body. This includes discharge licenses (and associated applications) held by the Local Authority. The Local Authority may refuse to provide access to records held by them where the information was provided to the Local Authority in confidence with the understanding that it is to be treated as confidential. Circumstances under which confidentiality may apply include where information submitted in the application contains commercially sensitive information or matters of National security.

The Applicant is requested to <u>identify all information</u> submitted with the application which is to be treated as confidential and is requested to identify the grounds on which the information may be categorised as confidential.

#### **B.** False or Misleading Information

It is an offence under the *Local Government (Water Pollution) Act, 1977* to knowingly submit false or misleading information in the licence application and an Applicant is liable to a fine on summary conviction of such an offence.

Please provide signature of the authorised representatives of the Applicant and where appropriate the Agent confirming that all the information submitted in this application is correct and that they have made themselves aware of the provisions of the Freedom of Information Act.

I/we hereby declare that I/we have made myself/ourselves aware of the provisions of the Freedom of Information Act and that I/we understand that there is a legal obligation on the Local Authority to make this discharge licence application available for inspection by third parties.

I/We hereby declare that to the best of my/our knowledge all of the information provided in this application is true and correct.

Signed:

Date:

(provide signature of the Applicant)

Signed:

Date:

(provide signature of the Agent)

А.	Contact Details – Applicant						
A. (i) Provide contact details for the Applicant below							
The Applicant is:	An Individual						
	A Group of Individuals						
	A Corporate Body						
Name (Principal Contact)*							
Address							
	L						
	L						
Phone Number (day)							
Phone Number (night)							
Fax							
e-mail							
* Where the Applicant is	s a group of individuals or a corporate body, provide the name						
of one individual to be th	ne principal contact for the purpose of correspondence relating						
a licence granted by the	licensing authority.						

#### PART II – Section 1

A. (ii)Where the	Applicant is an Individual provide the following details:
Relationship to the premises from which it is proposed to discharge	Owner/occupier Landowner
	Responsible for treatment facility
	Other(please specify)

A. (iii) Where the App	licant is a Group of Individuals provide the following details:
Type of Group	Management Company
	Residents Association
	Voluntary Group
	Club
	Other(please specify)

# A. (iv) Where the Applicant is a Corporate Body provide the following details:

# **PART II – GENERAL DETAILS**

Type of Corporate Body	Limited Company	
	Public Limited Company	
	Sole Trader	
	Co-operative	
	Partnership	
	Other	(please specify)
Certificate of Incorporat	ion must be included with the application lis	sting the names of
Directors.		

B.	Contact Details – Agent
B. Where an Agent is	making this application on behalf of an Applicant the Agent's
	contact details must be provided
Name	
Address	
Phone Number (day)	
Phone Number (night)	
Fax	
e-mail	
<b>Relationship to the</b>	
Applicant e.g.	
employee, consultant,	
partner.	

# PART II – GENERAL DETAILS

# PART II – Section 2

A. Site Details														
A. (i) Provide details be Name of Site	low of the	site / a	ctivi	ty fr	om	wh	nich it	is pro	pos	sed to	o di	sch	arg	e.
(where applicable)														
Address														
Site location														
(Co-ordinates)	Easting						Nort	hing						
Is the site an existing								<b>B</b>						
development or a new		Existing	g											
development?		New												
Is there any existing			P	C		7	1							
discharge license(s) granted in relation to		Yes					umber umber							-
the site?		No	IX.		ence	/ 1 11	unioei							-
Is planning permission granted for any		Granta	1 D	ofor	200	NI	umbor							
proposed / existing	Granted Reference Number													
development at the	Pending													
site?		Not Ap	nliad	For										
		NOT AP	pneu	1101										
Have copies of the														
following maps / drawings been		Site Lo	catio	n Ma	ap									
included?		Site La	yout	Map	)									
	Site Drainage System Drawings													
	None of the above													
	Refer to "Guidance on Applying for a Discharge Licence" for details of what is to be included on the maps													
Outfall Details	<i>details of what is to be included on the maps.</i> Provide details of the outfall design, size and construction.													
	Trovide details of the outfair design, size and construction.													
Provide copies of the out	fall drawin	gs.												

the sector from wind	ch the proposed discharge will be generated.	1				
	Please tick the box as appropriate	1				
Accommodation	Household / Holiday Home	ļ				
	Hotel / Guesthouse / B&B	ļ				
	Caravan Park / Camp Site	ļ				
	Nursing Home					
Education	Non-residential facility					
	Boarding School					
	College / University					
Commercial /	Office					
Service	Hairdresser / Beauty Salon	1				
	Doctor Surgery	<b>†</b>				
	Dentist	ţ				
	Launderettes and Dry Cleaners	1				
	Petrol Station	t				
	Hospital	†				
	Churches, Monasteries etc.					
	Amenities (golf course, sport facilities etc.)					
Food & Drink	Public House (with or without food					
roou & Drink	preparation)					
	Restaurant / Café / Take Away					
Transport	Airport					
Transport	Train station	<u> </u>				
		<b>}</b> -				
	Bus station					
Industrial	Dry process industry without canteen	<b>.</b>				
	Dry process industry with canteen where					
	food is prepared					
	Chemicals industry	<b> </b>				
	Wood, paper, textiles and leather	ļ				
	Food and drink	<b> </b>				
	Minerals and other materials	ļ				
	Energy	ļ				
	Metals	<b> </b>				
	Mineral fibres and glass					
	Fossil fuels					
	Cement manufacture	ſ				
	Waste	Ĩ				
	Surface coatings	ţ				
Other (Please	e.g. tourism- heritage centre	T				
specify)	0	1				

A. (iii) Activities Carried Out on Site.

Provide details of the activities carried out on site. Where this involves a process, provide an overview of the process. In particular indicate where domestic waste water / trade effluent is generated.

Provide additional sheets where necessary.

<b>Process Materials &amp;</b>	Where applicable, complete Appendix A and Appendix B of
Waste Disposal	this form.

# PART III – EFFLUENT DETAILS

# PART III – Section 1

A. Effluent Details						
PART III – Section 1 A is to be completed by All Applicants.						
Type of effluent	Domestic Waste water Only Trade Effluent Only Both Domestic and Trade Effluent					
Indicate the type of discharge to which this application relates.	New Discharge       Existing Discharge					
<b>Domestic Waste water</b> <b>only</b> (if relevant)	Population Equivalent (p.e.)					
	Expected Dry Weather Flow (DWF)m <sup>3</sup> /day.					
	<i>Provide details of how the P.E. &amp; DWF were calculated.</i>					
<b>Trade Effluent only or</b> <b>Domestic &amp; Trade</b> (if relevant)	*Normal volume of effluent discharged per day is m <sup>3</sup> /day.					
	*Maximum volume of effluent discharged in one day ism <sup>3</sup> /day.					
	*Maximum volume of effluent discharged per hour is m <sup>3</sup> /hour.					
*Provide details of how t	he trade effluent flows are calculated.					
Effluent Characteristics.	Complete Appendix C and Appendix D of this form.					
	Provide additional sheets where necessary.					

B. Effluent Details						
PART III – Section 1 B is to be completed by All Applicants.						
Provide additional sheets where necessary.						
Discharge Variability	<ul><li>Briefly identify whether there is likely to be variability in the discharge flow or characteristics e.g. due to process changes, due to seasonal variation, due to diurnal changes etc.</li><li>Where the discharge shows seasonal or other variation, please provide details of flow volumes and times of discharge.</li><li>Also provide details of varying effluent characteristics in Appendix C and Appendix D.</li></ul>					
Date of Discharge	Date:					
	Identify the proposed date for the commencement of the discharge or where it is an existing discharge identify the date on which the discharge commenced.					
Fats, Oils and Grease (FOG) (if relevant)	Provide details of control measures proposed for the removal of FOG from the effluent prior to discharge. Provide technical data sheets for any equipment proposed.					
<b>Food Waste</b> (if relevant)	Provide details of provisions for source segregation and disposal of food waste.					
Other Discharges	Provide particulars of any other discharges from the premises (e.g. storm water).					
Water Supply	Provide details of the source of water that will form part of the discharge e.g. mains, borehole, river etc.					
	The estimated volume of water used per day ism <sup>3</sup> /day					
Other Effluent Details	You may be required to furnish such other particulars as the Licensing Authority may reasonably require for consideration of the application e.g. effluent toxicity testing, bioaccumulation testing, biodegradation testing.					

# PART III – Section 2

A. Effluent Treatment								
<u>PART III – Section 2 A</u> is to be completed where the effluent is to be treated prior to								
discharge.								
<b>Operator of Treatment</b>	Where the treatment system is to be maintained and operated							
System	by a third part please provide the following:							
	Contact Name							
	Company Name							
	Address							
	Phone Number (day)							
	Phone Number (night)							
	Fax							
	e-mail							
	Registered Company							
	Details							
Waste Water	Provide particulars of the e	xisting / proposed effluent treatment						
Treatment System	system.	C I I						
Overview	,							
	Provide additional sheets v	vhere necessary						
Provide conies of the trea	tment system process drawi	·						

	B. Effluent Treatment							
PART III – Section 2 B i	s to be completed where the effluent is to be treated prior to							
discharge.								
Provide additional sheets where necessary.								
Treatment System	Provide details of the proposals for the treatment system							
Maintenance	maintenance.							
Plant Failure	Identify how any failure of the treatment system will be detected.							
	identify now any fandle of the deathent system will be detected.							
Sludge	Provide details of proposals for dealing with sludge (where							
	relevant).							

# PART III – Section 3

A. Effluent Monitoring														
<u>PART III – Section 3 A</u> is to be completed by All Applicants.														
Provide details of the monitoring proposed for the effluent discharge														
Provide additional sheets where necessary.														
Monitoring the	0			f an	y pr	opo	sals	to monitor t	he c	lisch	narg	e e.g	3.	
Discharge.														
	o Para	met	ers t	to be	e an	alys	ed;							
	o Mor		-		-									
	o Deta	uils o	of ar	ny sa	amp	ling	gequ	ipment to b	e us	ed.				
Location of sampling														
point(s) (Co-ordinates)	Easting							Northing						
Effluent Flow	Provide d	letai	ls o	f an	v pr	opo	sals	to monitor t	he c	lisch	arg	e flo	W.	
Monitoring	110,100 0		10 0	i uli	<i>J</i> P <sup>1</sup>	opo	Juio				141 8	• 110		
-														
Licensing Authority			-					Licensing A			-		e	
Monitoring	-							n order to tal		-				
		-						samples mag	~			.g. I	ast	
	manhole	berc	ore c	outra	all. (	Pro	vide	e grid refere	nce	belo	<i>w)</i> .			
Location of Licensing														
Authority sampling	Easting							Northing						
point(s)	Lasung							THOT UNING						
(Co-ordinates)														

B. Pollution Control							
	is to be completed by All A						
Provide details of any pollution control measures proposed.							
	Provide additional sheets where necessary.						
Accidental Discharges	Provide details of arrangements to prevent accidental discharges.						
Durida halam dataila af							
to respond to unexpected		ntact persons and facilities available					
	Contact Name	[					
<b>Emergency Response</b>	Phone Number (day)						
	Phone Number (night)						
	Provide details of any emer	rgency procedure					
	110 vide details of any enter	rgency procedure.					
Environmental	Is there an Environmental	Management Plan in place in respect					
Management Plan	of the site?	Trandforment I am in Prace in Tespece					
	Yes						
	No						
	If 'Yes' please submit a cor	ny with this application					

# PART IV – Section 1

A. General Details						
Identify why it is not						
feasible to discharge to						
sewer in this case.						
Provide details of the						
newspaper notice.	Name of Publication					
	Date of Print					
	Please include one original plus the required copies of the notice.					

## PART IV – Section 2

A. (i) Receiv	A. (i) Receiving Water Details - Discharge to Inland Surface Water													
PART IV – Section 2 A	<b>A</b> is to be completed where the application pertains to a discharge													
to inland surface water	s i.e. streau	s i.e. streams / rivers / lakes.												
Name of Receiving Water														
Location of Discharge (Co-ordinates)	Easting							Northing						
Add additional rows wh		•				-								
All discharge locations	to be indic	ated	clea	rly o	n	OS M	[a	ıp.						
Existing Uses	The receiv waterbody	0		r is a	tri	butary	7 (	of		_ (in	sert			
	Water user navigation							(e.g. ang	ling,	rec	rea	tiond	al,	
Designation*	appropria	Introduction etc.)         The receiving water is located within the boundary of : (tick as appropriate)         Image: An SAC, site code												
		ing v A Sa An Ii A Pe A Dr A Se	vater Ilmo nlan earl N rinki	r is de nid V d Bat	Va hi el Vat	gnated ter ng Wa Water er ter	d	as: (tick as	appı	ropr	iate	)		

A. (i) Receiving W	Cater Details         - Discharge to Inland Surface Water (continued)
Name of River Basin	Provide the name of the River Basin District in which the discharge
District	is located
Water Framework	
Directive Waterbody	No Status     Moderate
Status	Bad Good
	Poor High
Defende (Certilence en	
	Applying for a Discharge Licence" for sources of information.Where available include information from existing hydrometric
Receiving Water Flow Data.	station / flow estimation tool.
	$\_$ m <sup>3</sup> /sec Dry Weather Flow (DWF).
	m <sup>3</sup> /sec Mean flow.
	$\_$ m <sup>3</sup> /sec 95% ile flow.
	Source of Information:
	EPA OPW
	Hydrometric Station Reference Number:
	Include information from on-site flow measurement where it has
	been undertaken.
	Flow: m <sup>3</sup> /sec Date:
	Flow: m <sup>3</sup> /sec Date:
	Flow: m <sup>3</sup> /sec Date:
	<i>Provide information on rainfall for a minimum of six days preceding each flow measurement.</i>


A. (ii) Receiving Water Details - Discharge to Inland Surface Water						
Receiving water	Parameter	Result (mean)				
background chemical	$BOD_5 mgO_2/l$					
data.	Suspended Solids mg/l					
	pH (pH units)					
	Dissolved Oxygen mg/l O <sub>2</sub>					
	Temperature °C					
	Total Ammonia as mg/l N					
	Un-ionised Ammonia as mg/l N					
	Orthophosphate as mg/l P (unfiltered MRP)					
	Total Phosphorus as mg/l P					
	Nitrite as mg/l N					
	Nitrate as mg/l N					
	Total Nitrogen mg/l N					
	Chloride mg/l					
	Sulphate mg/l					
Refer to "Guidance on monitoring data and o	Applying for a Discharge Licence" for guidan sampling.	ance on reporting				


B. (i) Receiving Water Details - Discharge to Transitional / Coastal Water														
<u>PART IV – Section 2 B</u> is to be completed where the application pertains to a discharge									ge					
to coastal or transition	al waters i.	e. estu	aries	/ m	arii	ie w	vaters.							
Name of Receiving Water														
Location of														
Discharge	Easting						Northi	ino						
(Co-ordinates)	Lasting							<u>-</u>						
Add additional rows wh	ere necessa	ıry.	-		8		<u>U</u>							
All discharge locations	to be indic	ated cl	early	y on	n OS	5 Ma	ap.							
Designation*	The recei	0								•	•			
	discharge	-	s in tl	ne b	oun	dary	of or w	rithin	3kı	n of	f): (1	tick	as	
	appropria	te)												
		An SA	C. si	te c	ode									
			- ,											
		An SP	A, si	te co	ode			·						
		NT	£ 11.	1.										
		None of the Above												
	* Note: W	* Note: Where the discharge is located within the boundary of or is												
		within 3km of an SAC/SPA, an Appropriate Assessment must be												
		submitted with this application as required by Council Directive												
		92/43/EEC on the Conservation of Natural Habitats and of Wild												
	Fauna and							,			• ,	<u>,</u>		
	The receiv	ing wa	ter 1s	aes	signa	ated	as: ( <i>tick</i>	x as a	ррі	opr	iate	)		
		A She	lfish	Wa	ter									
		A D - 41		<b>T</b> 7 - 4										
		A Bath	iing	wat	er									
		A Sens	sitive	e Wa	ater									
		None of	of the	e Ab	ove									
			6.4	-		<b>P</b>	·	• , •		• 1	.1	1.	1	
Name of River Basin District	Provide the							rict in	l Wl	nich	the	dise	char	ge
	is located													
Water Framework Directive Waterbody		No Sta	itus				Γ		M	oder	ate			
Status		10000							1,1/					
		Bad							Go	od				
		Poor							Hi	igh				
Refer to "Guidance on	Applying	for a D	ischs	aroe	Lic	renc	e" for s	011104	es c	of in	for	mat	ion	

B. (i) Receiving Water Details - Discharge to Transitional / Coastal Water (continued)							
Position of outfall	The outfall is/will be positioned metres above/below ( <i>delete as appropriate</i> ) Mean High Water Spring Tide						
	and						
	The outfall is/will be positioned metres above/below ( <i>delete as appropriate</i> ) Mean Low Water Spring Tide						
Bathymetric Survey	A bathymetric survey <b>has/has not</b> ( <i>delete as appropriate</i> ) been undertaken.						
	Where a bathymetric survey has been undertaken, please include a copy with this application.						
Foreshore Licence	A Foreshore Licence is:						
	Granted						
	Pending						
	Not Applied For						
	Not Required						
	Where the Foreshore Licence has been granted, please include a copy with this application.						

B. (ii) Receiving Water I	B. (ii) Receiving Water Details - Discharge to Transitional / Coastal Water						
<u>PART IV – Section 2 B</u> is to be completed where the application pertains to a discharge							
to coastal or transitional waters i.e. estuaries / marine waters.							
<b>Receiving water</b>	Parameter	Result (mean)					
background chemical							
data.	Chlorophyll a µg/l						
	Transparency Secchi depth						
	Salinity psu						
	Temperature °C						
	Dissolved Oxygen % saturation						
	Dissolved Inorganic Nitrogen mg/l N						
	Un-ionised Ammonia as mg/l N						
	Orthophosphate as mg/l P						
	Total Phosphorus as mg/l P						
	Nitrite as mg/l N						
	Nitrate as mg/l N						
	Total Nitrogen mg/l N						
	BOD <sub>5</sub> mg/l (Transitional Waterbody)						
Refer to "Guidance on Applying for a Discharge Licence" for guidance on reporting monitoring data and on sampling.							

#### PART IV – Section 3





Checklist for Applicant when applying for a licence to discharge to Water				
Details to be Submitted	Tick Box where included			
1. Fully completed, signed and dated application form (One original plus 5 copies)				
2. Name & address of Applicant & Agent				
3. Has the type of discharge been identified i.e. new or existing / domestic or trade?				
4. Has location of discharge been identified				
5. Newspaper Notice (One original plus 5 copies)				
6. Application fee				
7. Site location map at scale 1:50,000				
8. Site layout map at scale of 1:2500				
9. Drainage system drawings at scale no greater than 1:2500				
10. Description of process giving rise to trade effluent				
11. Description of the proposed method of effluent treatment				
(including measures for the control of FOG where appropriate)				
12. Treatment system process drawings				
13. Outfall details and drawings				
14. Treatment system operation & maintenance details				
15. Effluent quality, discharge volume and flow details				
16. Receiving water quality assessment (physico-chemical &				
biological) and flow calculations				
17. Assessment of the impact of the discharge on the receiving water				
- Assimilative capacity calculations				
- Details of designated areas (including designation of waters)				
- Details of sensitivity of waters				
18. Proposals for dealing with sludge (where relevant)				
19. Emergency procedures in case of plant breakdown or pollution incident (including details of storage facilities onsite).				
20. Has one original plus 5 copies of the application form and all				
associated documentation been included?				
associated documentation been included:				

# Please include any additional information which you deem to be pertinent to the application / discharge.

	Appendix A - Provide details of process related raw materials, products etc. used or generated on site.							
Substance	EC Number	Nature of Use	Amount Stored (tonnes)	Annual Usage (tonnes)	Danger Classification	Risk Phrase	Safety Phrase	
Include copies o	<b>Material Safety</b>	Data Sheets (MSDS)	) for materials.					

Ref. European Communities (Classification, Packaging, Labelling and Notification of Dangerous Substances) Regulations, 1994

Appendix B - Off-site Waste Disposal							
Waste Description	EWC. Catalogue No.	Quantity (Tonnes per annum)	Name of site accepting waste	Reference Number of site environment licence	State whether recycling, recovery or disposal		

#### Appendix C - Characteristics of Trade and/or Domestic Effluent

The following list of parameters is indicative only. Additional physical, chemical or other characteristics as are pertinent to the effluent in question should also be identified.

*Complete for all applicable sections, giving concentration ranges where available.* 

Emission Po	pint co-ordinates (One table per emission point):							
<b>Parameter</b> Concentrati	<b>Parameter</b> Concentrations in mg/l unless otherwise stated		Prior to Treatment (if any)		As discharged			
Characteris	tic							
Note:								
Section $A =$	to be completed where discharging domestic	Max.	Max.	Mg/l	Max.	Max.	Mg/l	% Removal
effluent only		Hourly	Daily	Mg/t	Hourly	Daily	Mg/t	70 Kemovai
Section A-E	= to be completed where discharging a trade							
effluent.	<u> </u>							
A	Temperature °C							
	рН							
	Biological Oxygen Demand (5 day)							
	Chemical Oxygen Demand							
	Suspended Solids							
	Total Ammonia (as N)							
	Nitrate (as N)							
	Total Phosphorus (as P)							
	Conductivity							
	Molybdate Reactive Phosphorus (MRP)							
	Oils, Fats and Greases							
	Sulphates (as SO <sub>4</sub> )							
	Chlorides (as Cl)							
	Phenols (as $C_6H_5OH$ )							
	Detergents (as Lauryl Sulphate)							
	Faecal Coliforms CFU							
В	Metals µg/l							
	Arsenic							

	Chromium						
	Copper						
	Cyanide				 		
	Fluoride				 		
	Lead				 		
	Nickel				 		
	Zinc				 		
	Other (please specify)				 		
С	Pesticides & Solvents:						
	Atrazine				 		
	Dichloromethane µg/l				 		
	Simazine µg/l				 		
	Toluene μg/l				 		
	Xylenes μg/l				 		
D	Organohalogen Compounds (Specify)						
	Organophosphorus Compounds (Specify)				 		
	Organotin Compounds (Specify)				 		
	Mineral Oils or Hydrocarbons of				 		
	petroleum origin Other toxic substances (Specify)				 		
	Colour (degrees hazen)				 		
E	Other:				 	<u> </u>	
	Other relevant characteristics including fish toxicity data from tests carried out on all or part of the effluent				 		

Appendix D - Dangerous Substances						
Are any of the following chemicals used in the process or stored on the premises	Yes/No	Are residual chemical process materials or chemical tailings from a process recovered or discharged?				
EDC (1, 2 dichloroethane $(C_2H_4C1_2))$						
TRI trichloroethylene (C <sub>2</sub> HC1 <sub>3</sub> );						
PER perchloroethylene (C <sub>2</sub> C1 <sub>4</sub> );						
TCB trichlorobenzene						
Carbon tetrachloride, DDT and pentachlorophenol						
Aldrin, dieldrin, isodrin, HCB (hexachlorobenzene), HCBD						
(hexachlorobutadiene) and CHCl <sub>3</sub> (chloroform)						
Cadmium						
>100 kg of raw asbestos						
Atrazine						
Dichloromethane						
Simazine						
Toluene						
Tributyltin						
Xylenes						
Arsenic						
Chromium						
Copper						
Cyanide						
Fluoride						
Lead						
Nickel						
Zinc						

A. Checklist - Application for a licence to discharge to Water				
Details to be Submitted	Tick Box			
1. Has the newspaper notice been published two weeks before making the application				
2. Has the newspaper notice been published in a newspaper circulating in the area				
3. Does the newspaper notice contain all the required information (as detailed in S.I. No. 108 of 1978)				
4. Is one original and five copies of the newspaper notice included				
5. Has a fully completed, signed and dated original copy of the application form plus five copies been submitted				
6. Has the application fee ( $\textcircled{380}$ ) been submitted				
7. Is the name & address of the Applicant & Agent included				
8. Is the address of facility from which it is proposed to discharge included				
9. In the case of an application submitted by a company, has a certificate of incorporation been included?				
10. Where appropriate, does the licence application include a statement that the application relates to an existing discharge				
<ul> <li>11. Have six copies of the site location map at scale 1:50,000 been submitted showing <ul> <li>The boundary of the premises from which it proposed to discharge</li> <li>The point of discharge(s) to waters</li> <li>The name of the receiving waters</li> <li>The name of the Townland in which the discharge occurs</li> </ul> </li> </ul>				
<ul> <li>12. Have six copies of the site layout map at scale of 1:2500 been submitted showing <ul> <li>The site boundary</li> <li>The extent of the development, showing building locations and any underground construction</li> <li>The location and layout of the treatment system</li> <li>The location of the outfall</li> </ul> </li> </ul>				
<ul> <li>13. Have six copies of the drainage system drawings been submitted showing <ul> <li>Existing and new foul and storm drainage showing manhole locations and indicating whether gravity or rising mains</li> <li>The location of the treatment system</li> <li>Pipe diameters and levels</li> <li>Volumes of storage tanks</li> <li>Location of discharge point</li> </ul> </li> </ul>				
14. Have six copies of the treatment system process drawings including outfall details been submitted				
15. Has a description of the treatment process been included				
16. Are details of the effluent composition and volume included				
17. Are quality and flow data of the receiving water included				
18. Has an assessment of the impact of the discharge on the receiving water been included				

For Licensing Authority use only	Date Received:	Reference Number:
----------------------------------	----------------	-------------------