

Comhairle Contae Chill Mhantáin Wicklow County Council

Ceantar Bardasach Bealach Conglais Municipal District of Baltinglass

Oifigí Cathartha / Civic Offices Páirc Gnó Baile Coimin / Blessington Business Park Baile Coimin / Blessington Contae Chill Mhantáin / County Wicklow Guthán / Tel: (045) 891222 Faics / Fax: (045) 865013 Rphost / Email: baltinglassmd@wicklowcoco.ie Suíomh / Website: www.wicklow.ie

23rd June 2020

DO GACH BALL

A Chara,

Tionólfar Cruinniú Bhliantúil de Dhúiche Bardais Bhealach Conglais san Cillín Chaoimhín *Ionad Pobail*, Cillín Chaoimhín, Contae Chill Mhantáin ar 28 lá de Meitheamh, 2021 ag tosú ag 10.30 a.m.

Tá an clár oibre don chruinniú seo iniata.

The Annual Meeting of the Municipal District of Baltinglass will be held in the Hollywood Community Centre, Hollywood on Monday 28th June 2021commencing at 10.30 a.m.

Should you be unable to attend please contact Liam Cullen at 045 89122 or by e-mail at lcullen@wicklowcoco.ie

The agenda for this meeting is attached.

In order to achieve compliance with Covid 19 control measure; physical distancing of 2ms between persons, members of the public who wish to attend the meeting are asked to register their attendance with Baltinglass Municipal District on 045 891222 in order to ensure sufficient designated seating can be provided.

Mise le meas,	
Liam Cullen	
Liam Cullen, Meetings Administr	ator



Comhairle Contae Chill Mhantáin Wicklow County Council

Ceantar Bardasach Bealach Conglais Municipal District of Baltinglass

Oifigí Cathartha / Civic Offices
Páirc Gnó Baile Coimin / Blessington Business Park
Baile Coimin / Blessington
Contae Chill Mhantáin / County Wicklow
Guthán / Tel: (045) 891222
Faics / Fax: (045) 865013
Rphost / Email: baltinglassmd@wicklowcoco.ie
Suíomh / Website: www.wicklow.ie

Annual Meeting of the Municipal District of Baltinglass

28th June 2021 at 10.30 a.m.

- 1. Election of Cathaoirleach.
- 2. Election of Leas Cathaoirleach.
- 3. To agree Schedule of Meetings for July 2021 to May 2022
- 4. Any Other Business.