



NOTES

NOTE: THESE NOTES APPLY EXCEPT WHERE OTHERWISE NOTED ON THE DRAWING OR IN THE SPECIFICATION

- DO NOT SCALE, USE GIVEN DIMENSIONS
- DATUM FOR ALL LEVELS IS OS MALIN HEAD
- VERIFY EXISTING LEVELS PRIOR TO COMMENCEMENT OF WORKS. REPORT ANY DISCREPANCIES TO THE EMPLOYER'S REPRESENTATIVE.
- THE LOCATIONS SHOWN FOR EXISTING SERVICES ARE INDICATIVE ONLY AND MAY NOT BE ACCURATE. FURTHERMORE, UNCHARTED SERVICES MAY BE PRESENT. THE CONTRACTOR SHOULD ASSUME THE EXISTENCE OF SERVICES UNLESS PROVEN OTHERWISE.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE EXISTENCE AND PRECISE LOCATION OF ANY SERVICE LOCATED WITHIN THE SITE. ALL WORKS SHALL BE CARRIED OUT IN STRICT ACCORDANCE WITH THE DOCUMENT 'CODE OF PRACTICE FOR AVOIDING DANGER FROM UNDERGROUND SERVICES' AS PUBLISHED BY THE HEALTH AND SAFETY AUTHORITY.

LEGEND

- SURFACE WATER DRAINAGE
- SURFACE WATER MANHOLE
- SURFACE WATER GULLY
- SOAKAWAY - TO COMPLY WITH BRE DIGEST 365
- FOUL SEWER
- FOUL SEWER MANHOLE
- WATERMAIN
- PROPOSED PUBLIC LIGHTING TYPE A COLUMN DETAILS
HEIGHT - 8m
BRACKET LENGTH - POST-TOP
INCLINATION - 5 DEGREES
LANTERN DETAILS
AVERAGE WATTAGE (CLO) - 49w LED
MAKE & MODEL C.U. - PHOSCO PB63-128-R2-740-W5-375
- PUBLIC LIGHTING DUCTING
2X8sq NYCY CABLE LAID IN DUCTING TO U.S.10101:2020. SINGLE WALL DUCTING, COLOUR RED TO BE USED MANUFACTURED FROM HIGH DENSITY POLYETHYLENE (H.D.P.E.), 107mm EXTERNAL DIAMETER, HAVING A WALL THICKNESS OF 5mm. THIS DUCTING TO HAVE THE WORDS "STREET LIGHTING" STAMPED ON, LETTER SIZE 9mm AT 1m INTERVALS. THE LETTERING TO FACE UPPERMOST IN THE TRENCH. ALL WORKS TO LOCAL AUTHORITY SPECIFICATION.
- PUBLIC LIGHTING PILLAR. TO BE LOCATED AT LEAST 2m FROM ESB PILLAR.

REV.	DATE	DESCRIPTION	APPR.
A	23/02/24	DRAFT ISSUE	DM

THE COPYRIGHT OF THIS DRAWING IS THE PROPERTY OF CARROLL & BROWNE CONSULTANTS AND THE DRAWING MAY NOT BE REPRODUCED IN WHOLE OR IN PART, IN ANY FORM WHETHER BY PHOTOGRAPH, PHOTOCOPYING OR REPRODUCTION AS A THREE DIMENSIONAL ARTICLE WITHOUT THE WRITTEN PERMISSION OF CARROLL & BROWNE CONSULTANTS

Carroll & Browne Consultants
Design and Management

10 The Square,
Kilcock,
Co. Kildare.

Tel: +353-(0)1-460-2977
Email: info@carrollbrowne.com

bam
Ireland

BAM CONTRACTORS
KILL
CO. KILDARE

WICKLOW COUNTY COUNCIL
COUNTY BUILDINGS
WHITEGATES
WICKLOW TOWN

JOB TITLE M11/ R772 WICKLOW
PROPOSED WEIGHBRIDGE FACILITY

DRAWING TITLE PART 8 PLANNING & DEVELOPMENT
PROPOSED SERVICES

DRAWN	DM	JOB NO.	1459	REV. A
CHECKED	GB	STATUS	PLANNING	
APPROVED	GB	DRAWING NUMBER.	1459-P-203	
DATE	6/11/23			