

P L A N N I N G A P P L I C A T I O N S

P L A N N I N G A P P L I C A T I O N S R E F U S E D F R O M 0 8 / 0 5 / 2 0 2 3 T o 1 4 / 0 5 / 2 0 2 3

in deciding a planning application the planning authority, in accordance with section 34(3) of the Act, has had regard to submissions or observations received in accordance with these Regulations;

The use of the personal details of planning applicants, including for marketing purposes, maybe unlawful under the Data Protection Acts 1988 - 2018 and may result in action by the Data Protection Commissioner, against the sender, including prosecution

FILE NUMBER	APPLICANTS NAME	APP. TYPE	DATE RECEIVED	DEVELOPMENT DESCRIPTION AND LOCATION	M.O. DATE	M.O. NUMBER
22/1031	Oonagh Byrne	P	22/09/2022	construction of a new detached single storey dwelling, with separate detached single storey domestic garage, and new on-site waste-water treatment facility to current EPA standards, together with a new private well, and all ancillary site works Snugborough Arklow Co. Wicklow	11/05/2023	839/2023
23/274	Antoinette Byrne	P	21/03/2023	erect a dwelling with services and domestic garage The Banks Manor Kilbride Talbotstown, Blessington Co. Wicklow	11/05/2023	830/2023
23/275	Noeleen Dickenson	P	21/03/2023	demolition of existing garage proposed two no. semi detached dwellings with connection to services, access drive and associated works Stone House Keatingstown Ballynerrin Townland Wicklow Co Wicklow	11/05/2023	828/2023

P L A N N I N G A P P L I C A T I O N S

PLANNING APPLICATIONS REFUSED FROM 08/05/2023 To 14/05/2023

in deciding a planning application the planning authority, in accordance with section 34(3) of the Act, has had regard to submissions or observations received in accordance with these Regulations;

The use of the personal details of planning applicants, including for marketing purposes, maybe unlawful under the Data Protection Acts 1988 - 2018 and may result in action by the Data Protection Commissioner, against the sender, including prosecution

Total: 3

***** END OF REPORT *****